



High Flow Triple Water Filter

One system to handle the water filtration requirements for coffee/espresso, ice and fountain.

9328-05

BENEFITS

- Reduces chlorine and other off-tastes and odors.
- Reduces dirt and other particulate matter 1/2 micron and larger in size.
- Traps harmful parasitic cysts such as Cryptosporidium.
- Reduces asbestos fibers.
- Increases the overall energy efficiency of foodservice equipment.
- The prefilter extends the life of the MC cartridges.
- The IMF cartridge feeds controlled amounts of food-grade polyphosphate into the finished water, inhibiting limescale buildup.
- Listed under NSF International Standards 42 & 53



APPLICATION

Combination of coffee brewers, espresso machines, hot chocolate dispensers, fountain and ice machines.

High Flow Triple System: 9328-05
System without Low Pressure Alarm: 9328-06
MC Cartridge (1 pack): 9612-06
MC Cartridge (6 pack): 9612-05
EC210 Cartridge (6-pack): 9534-26
EC210 Cartridge (20-pack): 9534-20
IMF Replacement Cartridge (1 pack): 9498-41

INSTALLATION TIPS

- Choose a mounting location which is suitable to support the full weight of the system when operating (47 lbs.)
- Use a minimum 1/2" water line (3/4" preferred)
- **Flush filter cartridges by running water to drain at full flow through the flushing valve for 5 minutes.**

OPERATION TIPS


- Change precoat filter cartridges
 - on a regular 6 month preventative maintenance basis
 - when the pressure gauge indicates a pressure less than 10 psi *when the system is operating.*
 - or at least annually

Always flush the filter cartridges when changing.

SPECIFICATIONS

Dimensions: 32"H x 36"W x 8"D
 Inlet connection: 3/4" FPT
 Service flow rate: Minimum .04 gpm
 Maximum 5.0 gpm
 Pressure: Minimum 20 psi
 Maximum 125 psi (non-shock)
 Maximum temperature: 100°F (38°C)
 110V electrical connection required
 for Low Pressure Alarm
 Shipping weight: 30 lbs.
 Operating weight: 47 lbs.

Plumbers note: There is a lateral elevation drop of 1.1" from the left to right stub-outs.



LIMITED WARRANTY OF PHYSICAL QUALITY

If, within eighteen months after manufacture or ten years after purchase (whichever occurs first), any part of Everpure, Inc. manufacture which is returned to its factory, shipping charges prepaid, is found to be defective in material or workmanship in the judgement of Everpure's engineers, Everpure, Inc. will repair or replace such part at no charge, f.o.b., Westmont factory. Everpure, Inc. however, shall not be liable for damages or delays caused by any defective material or workmanship, or by failure of any parts due to normal wear and tear. Everpure, Inc. will not be responsible for products which malfunction due to user neglect or unauthorized modification.

NOTE: Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Similarly, some states do not allow the exclusion or limitation of consequential or incidental damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.

System Tested and Certified by NSF International against ANSI/NSF Standard 42 and 53 for the reduction of:

- Standard No. 42: Aesthetic Effects
 - Chemical Unit
 - Taste and Odor Reduction
 - Chlorine Reduction, Class I
 - Mechanical Filtration Unit
 - Particulate Reduction, Class I:
 - 99.9+% reduction of particles one-half micron and larger in size
- Standard No. 53: Health Effects
 - Mechanical Filtration Unit
 - Turbidity Reduction
 - Cyst Reduction
 - Asbestos Reduction



Check for compliance with state and local laws and regulations. Do not use where the water is microbiologically unsafe, or with waters of unknown quality without adequate disinfection before or after the unit. May be used with disinfected water where filterable cysts may be present.



EVERPURE, INC.
 660 Blackhawk Drive
 Westmont, IL 60559-9005
 Tel (630) 654-4000
 FAX (630) 654-1115
 Technical Service
 (800) 942-1153
<http://www.everpure.com>

In Europe:
N.V. EVERPURE (EUROPE) S.A.
 Research Park, Haasrode
 B-3001 Heverlee
 Belgium
 Tel 32-16-401191
 FAX 32-16-402691

In Japan:
EVERPURE JAPAN, INC.
 1-8-19, Tsumada Kita,
 Atsugi-Shi
 Kanagawa 243
 Japan
 Tel 81-462 (23) 6563
 FAX 81-462 (21) 6775